


Series 901

Construction with a centrally-positioned tubular-steel cross-member with welded-on brackets.
Table top of melamine-resin, veneered or linoleum-covered chipboard with plastic or wooden edges. The corners are either square or rounded. Optional sliding top.
Electrification (optional) is provided 1.) by means of push-on plastic cable clips or 2.) by a fabric trough which is hinged on both sides.
Cable outlets (optional) are achieved 1.) through a maximum of 4 metal outlets or 2.) by means of an E-Box for power and data connections, in each case on the left, in the middle and on the right.
Supporting element (refer to table for position) consists of a C-shaped feet of powder-coated steel and a docking position for a free-standing pedestal.
The following material groups are available to choose from: Frame made of steel tube: M2; Top made of chipboard with plastic/beech edge: L6; Top made of linoleum: L8; Top veneered: F1.

<p>...-CFVC</p> <p>...-VCCF</p>	<p>The table heights printed light grey are not possible with the listed supporting elements.</p>								
<p>L: C-shaped foot</p> <p>R: prepared for free-standing pedestal</p>	<p>d = 31½</p> <p>d = 35½</p> <p>d = 39¾</p>		<p>21511</p> <p>21521</p> <p>21531</p>	<p>21512</p> <p>21522</p> <p>21532</p>	<p>21513</p> <p>21523</p> <p>21533</p>	<p>21514</p> <p>21524</p> <p>21534</p>	<p>21515</p> <p>21525</p> <p>21535</p>	<p>21526</p> <p>21536</p>	
<p>L: prepared for free-standing pedestal</p> <p>R: C-shaped foot</p>									
	<p>h =</p> <p>w =</p>		<p>47¼</p>	<p>55⅞</p>	<p>63</p>	<p>70⅞</p>	<p>78¾</p>	<p>86¾</p>	